Prior Authorization Criteria 2018 MMP Effective Date: 12/02/2018 Approval Date: 10/29/2018

Prior Authorization Protocol

Medicare Part D - 2018

Prior Authorization Group Description

ACTEMRA IV

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Coverage Duration:

Rheumatoid Arthritis, Juvenile Idiopathic Arthritis: 12 months. Cytokine Release Syndrome: 4 weeks.

Other Criteria:

RHEUMATOID ARTHRITIS: Failure or clinically significant adverse effects to Remicade and one of the following: methotrexate, sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine or auranofin.

MMP_PAC_2018 1

Prior Authorization Group Description
ACTEMRA SC
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
CONTINUATION OF THERAPY: Maintained on therapy with positive response.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
RHEUMATOID ARTHRITIS: Failure or clinically significant adverse effects to one of the following: methotrexate sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine or auranofin. GIANT CELL ARTERITIS: Failure or clinically significant adverse effects to methotrexate or azathioprine.

Medicare Part D - 2018

Prior Authorization Group Description

ACTHAR HP

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prescriber Restrictions:

MULTIPLE SCLEROSIS: Prescribed by or in consultation with a neurologist.

Coverage Duration:

Infantile Spasms: 4 weeks, Multiple Sclerosis: 3 weeks

Other Criteria:

Multiple sclerosis: Patient is being treated with a relapsing remitting multiple sclerosis agent (e.g., Avonex, Betaseron, Copaxone, Gilenya) AND Failure or clinically significant adverse effects to corticosteroid therapy for acute exacerbations of multiple sclerosis.

Medicare Part D – 2018

Prior Authorization Group Description

equianalgesic dose of another opioid).

ACTIQ

Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
16 years and older.
Prescriber Restrictions:
Coverage Duration:
Through the end of the Plan contract year.
Other Criteria:
Patient is already taking and is tolerant to around-the-clock opioid therapy. Patients are considered opioid tolerant when taking another opioid daily for a week or longer (for example, at least 60 mg of oral morphine per day or an

Prior Authorization Group Description
ACYCLOVIR
Covered Uses:
All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
ADCIRCA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Patients taking nitrates (e.g., Nitrodur, Nitrobid, Nitrostat, Isordil, Ismo). Patients taking a guanylate cyclase stimulator, such as riociguat (Adempas).
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
ADEMPAS
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Patients on concomitant phosphodiesterase (PDE) inhibitors (e.g., sildenafil, tadalafil, vardenafil, dipyridamole or theophylline) or nitrates (e.g., Nitrodur, Nitrobid, Nitrostat, Isordil, Ismo)
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Medicare Part D – 2018

Prior Authorization Group Description
AFINITOR
Covered Uses:
All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with an oncologist.
Coverage Duration:
12 months.
Other Criteria:
Renal Cell Carcinoma: Failure or clinically significant adverse effects to one of the following: Sutent, Nexavar, Votrient, Inlyta, Avastin in combination with Intron-A, Proleukin, Torisel. Breast Cancer: Prescribed in combination

with exemestane AND Failure or clinically significant adverse effects to letrozole or anastrozole.

Medicare Part D - 2018

Prior Authorization Group Description

AIMOVIG

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Member experiences 4 or more migraine days per month for at least 3 months. CONTINUATION OF THERAPY: Member is responding positively to therapy as evidenced by a reduction in migraine days per month from baseline.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a neurologist, headache, or pain specialist.

Coverage Duration:

Initial: 3 months. Reauthorizations: 6 months

Other Criteria:

Failure of two of the following oral migraine preventative therapies, each from different therapeutic classes, unless contraindicated or clinically significant adverse effects are experienced: antiepileptic drugs (e.g., divalproex sodium, sodium valproate, topiramate), beta-blockers (e.g., metoprolol, propranolol, timolol), antidepressants (e.g., amitriptyline, venlafaxine).

Medicare Part D - 2018

Prior Authorization Group Description	
ALECENSA	
Covered Uses:	
All FDA-approved indications not otherwise excluded from Part D.	

Exclusion Criteria:

Required Medical Information:

Documentation that the patient does or does not have anaplastic lymphoma kinase (ALK)-positive disease. CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Medicare Part D - 2018

Prior Authorization Group Description

ALUNBRIG

Covered Uses:

All medically accepted indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Disease is ALK-positive and either metastatic or recurrent. CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

 $Failure\ or\ clinically\ significant\ adverse\ effects\ to\ crizotinib\ (Xalkori).$

Medicare Part D – 2018

Prior Authorization Group Description

AMITRIPTYLINE

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Depression: Failure or clinically significant adverse effects to one of the following generic antidepressants: bupropion, bupropion SR, bupropion XL, citalopram, desvenlafaxine succinate, duloxetine, escitalopram, fluoxetine, mirtazapine, sertraline, venlafaxine, or venlafaxine XR.

Medicare Part D – 2018

Prior Authorization Group Description

AMITRIPTYLINE/CHLORDIAZEPOXIDE

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to one of the following: duloxetine, escitalopram or venlafaxine XR.

Prior Authorization Group Description
AMITRIPTYLINE/PERPHENAZINE
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Patient is continuing on this medication without adverse effects.
Age Restrictions:
Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Medicare Part D – 2018

Prior Authorization Group Description

AMPHOTERICIN B
Covered Uses:
All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Abelicet only: failure or clinically significant adverse effects to conventional amphotericin B therapy. Ambisome when treating patients with Aspergillus species, Candida species and/or Cryptococcus species infections: failure or clinically significant adverse effects to conventional amphotericin B therapy.

Prior Authorization Group Description

All FDA-approved indications not otherwise excluded from Part D.

AMPYRA

Covered Uses:

Exclusion Criteria:

Prior history of seizure.

Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with a neurologist.
Coverage Duration:
12 months.
Other Criteria:

Medicare Part D - 2018

Prior Authorization Group Description

ANTIHISTAMINES (carbinoxamine, clemastine, cyproheptadine, diphenhydramine, promethazine)

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Allergic rhinitis: Failure or clinically significant adverse effects to two of the following: levocetirizine, desloratedine, fluticasone propionate nasal suspension, flunisolide nasal solution or triamcinolone acetonide nasal inhaler. All other FDA approved indications: Patient is continuing on this medication without adverse effects.

Prior Authorization Group Description
ARANESP
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D. Treatment of anemia due to myelodysplastic syndrome.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to Procrit.

Prior Authorization Group Description

All FDA-approved indications not otherwise excluded from Part D.

AUBAGIO

Covered Uses:

Exclusion Criteria:

Required Medical Information:

Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with a neurologist.
Coverage Duration:
12 months.
Other Criteria:

Medicare Part D – 2018

Prior Authorization Group Description

experienced.

BAXDELA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Current culture and sensitivity report shows isolated pathogen is a gram-positive or gram-negative organism susceptible to delafloxacin.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
14 days.
Other Criteria:
Failure of one fluoroquinolone, unless all are contraindicated or clinically significant adverse effects are

Prior Authorization Group Description

All medically accepted indications not otherwise excluded from Part D.

BELEODAQ

Covered Uses:

Exclusion Criteria:

Required Medical Information:

Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with an oncologist.
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

significant adverse effects to zolpidem or zolpidem CR.

BELSOMRA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

For patients 65 years of age and older: Failure or clinically significant adverse effects to one of the following: Rozerem, Silenor 6 mg/day or less, trazodone or temazepam. For patients under 65 years of age: Failure or clinically

Medicare Part D – 2018

Prior Authorization Group Description

BENLYSTA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Previous anaphylaxis to Benlysta, severe active lupus nephritis or severe active central nervous system lupus.

Required Medical Information:

Documentation of systemic lupus erythematosus positive for anti-nuclear antibody (ANA) and/or anti-double-stranded DNA [anti-dsDNA])

Age Restrictions:

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Currently receiving standard therapy for systemic lupus erythematosus that includes one or more of the following agents, unless all agents are contraindicated: glucocorticoids (e.g., prednisone), antimalarial (e.g., hydroxychloroquine or chloroquine), non-biologic immunosuppressants (e.g., azathioprine, methotrexate, mycophenolate).

Medicare Part D - 2018

Prior Authorization Group Description

BENZTROPINE

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Parkinsons disease/Parkinsonism: Failure or clinically significant adverse effects to two of the following: amantadine, levodopa/carbidopa, entacapone, pramipexole, ropinirole, selegiline. All other FDA-approved indications: Patient is continuing on this medication without adverse effects.

Prior Authorization Group Description
BLEOMYCIN
Covered Uses:
All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

Coverage Duration:

12 months.

Other Criteria:

BOSULIF
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
CONTINUATION OF THERAPY: Maintained on therapy with positive response.
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with an oncologist.

Prior Authorization Group Description

BOTOX

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CHRONIC MIGRAINE HEADACHE: Patient has a persistent history of chronic, debilitating migraine headaches with frequent attacks on more than 15 days per month.

Age Restrictions:

Strabismus or blepharospasm associated with dystonia: 12 years of age or older.

Prescriber Restrictions:

Chronic migraine headache: Prescribed by or in consultation with a neurologist.

Coverage Duration:

12 months.

Other Criteria:

Chronic migraine headache: Failure or clinically significant adverse effects to prophylactic treatment with one of the following: divalproex, topiramate, timolol or propranolol AND failure or clinically significant adverse effects to abortive therapy with one of the following: sumatriptan, rizatriptan, zolmitriptan, naratriptan, almotriptan, frovatriptan, Relpax, ergotamine/caffeine or dihydroergotamine.

Medicare Part D - 2018

Prior	Authorization	Group	Description

BRAFTOVI

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Positive for BRAF V600E or V600K mutation as detected by an FDA-approved test.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Prescribed in combination with Mektovi.

BRIVIACT
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
110001001 Restrictions.
Coverage Duration:

Other Criteria:

Oral: Through the end of the Plan contract year.

Prior Authorization Group Description

Patient is receiving treatment with at least one other antiepileptic drug such as: Gabitril, levetiracetam, lamotrigine, Lyrica, gabapentin, Sabril, topiramate, oxcarbazepine, Fycompa, Potiga, carbamazepine, phenytoin, valproic acid or divalproex sodium.

BUPRENORPHINE/NALOXONE
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

Medicare Part D – 2018

Prior Authorization Group Description

BUTABARBITAL

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Insomnia: Failure or clinically significant adverse effects one of the following: Rozerem, Silenor, trazodone or temazepam. For use as a daytime sedative: patient is continuing on this medication without adverse effects.

Prior Authorization Group Description
CABOMETYX
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:

Prescriber Restrictions:

Age Restrictions:

Prescribed by or in consultation with an oncologist.

Prior Authorization Group Description

CALQUENCE

Coverage Duration:

12 months.

Other Criteria:

Previously received at least one prior therapy (e.g., rituximab-containing regimen).

Medicare Part D - 2018

Prior Authorization Group Description

CAPRELSA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Non-small cell lung cancer.

Exclusion Criteria:

Required Medical Information:

Medullary Thyroid Cancer: Symptomatic or progressive disease that is unresectable locally advanced or metastatic.

Age Restrictions:

Prescriber Restrictions:

Medullary Thyroid Cancer: Prescribed by or in consultation with an oncologist or endocrinologist. Non-small cell lung cancer: Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Prior Authorization Group Description

CAYSTON

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Age 7 or greater.
Prescriber Restrictions:
Coverage Duration:
28 days.
Other Criteria:

Prior Authorization Group Description
CERDELGA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Extensive metabolizer (EM) or intermediate metabolizer (IM) taking a strong or moderate CYP2D6 inhibitor concomitantly with a strong or moderate CYP3A inhibitor AND IMs or poor metabolizer (PM) taking a strong CYP3A inhibitor.
Required Medical Information:
An FDA-cleared genotyping test has determined that this patient is a CYP2D6 extensive metabolizer (EM), intermediate metabolizer (IM), or poor metabolizer (PM).
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Medicare Part D – 2018

Prior Authorization Group Description

CEREZYME
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Documentation of at least one of the following conditions resulting from Type I Gaucher disease: anemia, thrombocytopenia, bone disease, hepatomegaly or splenomegaly.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Medicare Part D – 2018

Prior Authorization Group Description

CHORIONIC GONADOTROPIN
Covered Uses:
All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria:
Induction of ovulation and pregnancy in the anovulatory, infertile woman in whom the cause of anovulation is secondary and not due to primary ovarian failure. Treatment of obesity.
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

CIMZIA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

CROHN'S DISEASE: Prescribed by or in consultation with a GI specialist. PSORIATIC ARTHRITIS: Prescribed by or in consultation with a rheumatologist or dermatologist.

Coverage Duration:

12 months.

Other Criteria:

Rheumatoid arthritis: Failure or clinically significant adverse effects to one of the following: methotrexate, sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine or auranofin.

Prior Authorization Group Description

CINQAIR

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Patient has a blood eosinophil count of greater than or equal to 400 cells/mcL within the past 3 months. CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Patient is 18 years of age or older.

Prescriber Restrictions:

Prescribed by or in consultation with an allergist, pulmonologist, or immunologist.

Coverage Duration:

12 months.

Other Criteria:

Must be used in combination with ONE inhaled corticosteroid (e.g., beclomethasone, budesonide, flunisolide, fluticasone, mometasone, ciclesonide) AND must be used in combination with ONE long-acting beta-agonist (e.g., salmeterol, formoterol, vilanterol), unless contraindicated.

Medicare Part D – 2018

Prior	Aut	horizat	tion G	roup	Descri	ption

CINRYZE

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Coverage Duration:

Initial: 6 months. Reauthorization: 12 months.

Other Criteria:

Failure of danazol, unless contraindicated or clinically significant adverse effects are experienced.

Prior Authorization Group Description
CLADRIBINE
Covered Uses:
All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Medicare Part D - 2018

Prior Authorization Group Description

CLOMIPRAMINE

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to one of the following: fluoxetine, fluoxamine or sertraline.

Prior Authorization Group Description

All FDA-approved indications not otherwise excluded from Part D.

COMETRIQ

Covered Uses:

Exclusion Criteria:

Required Medical Information:

Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with an oncologist.
Coverage Duration:
12 months.
Other Criteria:

Medicare Part D - 2018

Prior Authorization Group Description

COSENTYX

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

PSORIATIC ARTHRITIS, PLAQUE PSORIASIS: Prescribed by or in consultation with a rheumatologist or dermatologist.

Coverage Duration:

12 months.

Other Criteria:

PLAQUE PSORIASIS: Failure or clinically significant adverse effects to ONE of the following: methotrexate, cyclosporine, or acitretin.

Prior Authorization Group Description

COTELLIC

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Patients with wild-type BRAF melanoma.

Required Medical Information:

Lesion is positive for the BRAF V600E or V600K mutation as detected by an FDA-approved test.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Used in combination with Zelboraf.

Medicare Part D – 2018

Prior Authorization Group Description

Other Criteria:

CYCLOBENZAPRINE HCL
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Patient is continuing on this medication without adverse effects.
Age Restrictions:
Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.
Prescriber Restrictions:
Coverage Duration:
12 months.

CYTARABINE
Covered Uses:
All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
For acute non-lymphocytic leukemia: use in combination with other approved anti-cancer drugs.

Prior Authorization Group Description

Prior Authorization Group Description

DAKLINZA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. For the treatment of hepatitis C virus genotype 2 and 4.

Exclusion Criteria:

Required Medical Information:

Refer to the document, "Recommendations for Testing, Managing, and Treating Hepatitis C," by AASLD-IDSA available at http://www.hcvguidelines.org for drug regimen and duration of treatment based on genotype, treatment status, previous drug regimens used, past medical history and comorbidities.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a gastroenterologist, hepatologist or infectious disease physician.

Coverage Duration:

12 to 24 weeks based on genotype, prior treatment, or cirrhosis status.

Other Criteria:

Must be used in combination with Sovaldi. Genotype 1: Failure or clinically significant adverse effects to Harvoni (sofosbuvir/ledipasvir). Genotype 2: Failure or clinically significant adverse effects to sofosbuvir/ribavirin.

Prior Authorization Group Description
DIPYRIDAMOLE
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Patient is continuing on this medication without adverse effects.
Age Restrictions:
Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Medicare Part D – 2018

Prior Authorization Group Description
DOXEPIN
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Patient is continuing on this medication without adverse effects. CONTINUATION OF THERAPY: Maintained on therapy with positive response.
Age Restrictions:
Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

significant adverse effects are experienced.

ELIDEL
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure of two medium to high potency topical corticosteroids (e.g., amcinonide, fluticasone propionate, triamcinolone acetonide, betamethasone valerate, fluocinolone acetonide, hydrocortisone butyrate, mometasone

furoate, desoximetasone, fluocinonide or betamethasone dipropionate), unless contraindicated or clinically

Prior Authorization Group Description
EMEND 40 MG
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
Four weeks.
Other Criteria:

Prior Authorization Group Description

EMFLAZA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Diagnosis of Duchenne muscular dystrophy (DMD) confirmed by one of the following: Genetic testing (e.g., dystrophin deletion or duplication mutation found) OR if genetic studies are negative (i.e., no mutation identified), positive muscle biopsy (e.g., absence of dystrophin protein). CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

5 years of age or older

Prescriber Restrictions:

Prescribed by or in consultation with a neurologist.

Coverage Duration:

12 months.

Other Criteria:

Failure of prednisone, unless contraindicated or clinically significant adverse effects are experienced.

Prior Authorization Group Description

ENBREL

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Hidradenitis suppurativa.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

PSORIATIC ARTHRITIS, PLAQUE PSORIASIS: Prescribed by or in consultation with a rheumatologist or dermatologist.HIDRADENITIS SUPPURATIVA: Prescribed by or in consultation with a rheumatologist, dermatologist or GI specialist.

Coverage Duration:

12 months.

Other Criteria:

RHEUMATOID ARTHRITIS: Failure or clinically significant adverse effects to one of the following: methotrexate, sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine or auranofin. PLAQUE PSORIASIS: Failure or clinically significant adverse effects to one of the following: methotrexate, cyclosporine or acitretin.

Medicare Part D – 2018

Prior Authorization Group Description
ENDARI
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:

Age Restrictions:

Age 5 or older.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Failure of hydroxyurea, unless contraindicated or clinically significant adverse effects are experienced.

Prior Authorization Group Description

12 months.

Other Criteria:

ENTRESTO
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Left ventricular ejection fraction less than 40%.
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with a cardiologist.
Coverage Duration:

Prior Authorization Group Description

ENTYVIO

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

MAINTENANCE REQUESTS: Documentation of partial or complete response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a gastroenterologist.

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to Humira or Remicade.

Prior Authorization Group Description

EPCLUSA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Treatment of HCV genotype 1, 2, 3, 4, 5, or 6 with decompensated cirrhosis and sofosbuvir or NS5A-based treatment failure.

Exclusion Criteria:

Required Medical Information:

Refer to the document, "Recommendations for Testing, Managing, and Treating Hepatitis C," by AASLD-IDSA available at http://www.hcvguidelines.org for drug regimen and duration of treatment based on genotype, treatment status, previous drug regimens used, past medical history and comorbidities.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a gastroenterologist, hepatologist or infectious disease physician.

Coverage Duration:

12 to 24 weeks based on cirrhosis status, genotype, prior treatment regimen.

Other Criteria:

Prior Authorization Group Description
EPOETIN (Epogen, Procrit)
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D. Treatment of anemia due to myelodyspastic syndrome.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Medicare Part D - 2018

Prior Authorization Group Description

ERGOLOID MESYLATES

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Alzheimer's dementia: Failure or clinically significant adverse effects to two of the following: donepezil, memantine, rivastigmine or galantamine. All other FDA-approved indications: Patient is continuing on the medication without adverse effects.

Medicare Part D – 2018

Prior Authorization Group Description

12 months.

Other Criteria:

ERLEADA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Concurrent use of a gonadotropin-releasing hormone (GnRH) analog or past bilateral orchiectomy. Disease is not metastatic.
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with an oncologist or urologist.
Coverage Duration:

Prior Authorization Group Description
ESBRIET
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Medicare Part D - 2018

Prior Authorization Group Description

ESTROGENS (Activella, Amabelz, Climara, Divigel, Estrace, estropipate, Femhrt, Fyavolv, Lopreeza, Mimvey, Mimvey Lo, Premarin, Premphase, Prempro)

Covered Uses:

All medically accepted indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Atrophic Vaginitis and Kraurosis Vulvae: Failure or clinically significant adverse effects to one of the following: Vagifem, Femring or Premarin vaginal cream. All other FDA approved indications: Patient is continuing on this medication without adverse effects.

Medicare Part D - 2018

Prior Authorization Group Description

EXONDYS 51

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Duchenne muscular dystrophy with mutation amenable to exon 51 skipping confirmed by genetic testing. REAUTHORIZATION: Continued treatment will be approved with documentation of response to therapy such as improvement in 6 minute walk test (6MWT) distance or objective muscle strength exams (possibly evaluated on a scale of 0-5, with 0 being no motion and 5 being full strength).

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a neurologist.

Coverage Duration:

6 months.

Other Criteria:

Currently stable on an oral corticosteroid regimen (e.g., prednisone), unless contraindicated or member has experienced clinically significant adverse effects.

Prior Authorization Group Description

FARYDAK

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a hematologist or oncologist.

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to two prior regimens, including Velcade and an immunomodulatory agent (e.g., dexamethasone).

Prior Authorization Group Description

FASENRA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Blood eosinophil count of greater than or equal to 150 cells/mcL within the past 3 months.

Age Restrictions:

12 years of age or older.

Prescriber Restrictions:

Prescribed by or in consultation with an allergist, pulmonologist, or immunologist.

Coverage Duration:

12 months.

Other Criteria:

Prescribed in combination with ONE inhaled corticosteroid (e.g., beclomethasone, budesonide, flunisolide, fluticasone, mometasone, ciclesonide), unless contraindicated or clinically significant adverse effects are experienced AND Prescribed in combination with ONE long-acting beta-agonist (e.g., salmeterol, formoterol, vilanterol), unless contraindicated or clinically significant adverse effects are experienced.

FERRIPROX
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to deferoxamine, Exjade or Jadenu.

Prior Authorization Group Description

Prior	Authorization	Group	Description

FIORINAL WITH CODEINE

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to naproxen and ibuprofen.

Prior Authorization Group Description

FIRAZYR

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Age 18 or greater.

Prescriber Restrictions:

Prescribed by or in consultation with an immunologist, allergist, hematologist or rheumatologist.

Coverage Duration:

12 months.

Other Criteria:

Medications known to cause angioedema (i.e., ACE-Inhibitors, estrogens, angiotensin II receptor blockers) have been evaluated and discontinued when appropriate.

Medicare Part D – 2018

Prior Authorization Group Description
FLECTOR
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D. Cancer-related neuropathic pain.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
Acute Pain: 4 weeks. Cancer-related neuropathic pain: Through the end of the Plan contract year.

Other Criteria:

Prior Authorization Group Description
FLUOROURACIL
Covered Uses:
All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

FORTEO
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to alendronate.

Prior Authorization Group Description

Prior Authorization Group Description
GANCICLOVIR
Covered Uses:
All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Medicare Part D – 2018

Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
MAINTENANCE REQUESTS: Documentation of response to therapy.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

GATTEX

Prior Authorization Group Description

GILENYA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

History (in the last 6 months) of myocardial infarction, unstable angina, stroke, transient ischemic attack, decompensated heart failure requiring hospitalization or class III/IV heart failure. History or presence of Mobitz II second-degree or third-degree atrioventricular block or sick sinus syndrome, unless patient has a functioning pacemaker. Baseline QTc interval greater than or equal to 500 msec. Concurrent use of Class II anti-arrhythmic drugs.

Required Medical Information:

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a neurologist.

Coverage Duration:

12 months.

Medicare Part D - 2018

Prior A	<u>uthorizatio</u>	<u>n Group</u>	<u>Description</u>

GILOTRIF

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Disease is positive for any of the following sensitizing EGFR mutations, as detected by an FDA-approved test, unless request is for second-line therapy in squamous non-small cell lung cancer: exon 19 deletion, exon 21 [L858R] substitution, L861Q, G719X, or S768I mutations.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Prior Authorization Group Description

GLATIRAMER (Copaxone, Glatopa)

Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Prescriber Restrictions: Prescribed by or in consultation with a neurologist.
Prescribed by or in consultation with a neurologist.
Prescribed by or in consultation with a neurologist. Coverage Duration:
Prescribed by or in consultation with a neurologist. Coverage Duration: 12 months.
Prescribed by or in consultation with a neurologist. Coverage Duration: 12 months.

Medicare Part D - 2018

Prior Authorization Group Description

GLYBURIDE (Diabeta, Glynase)

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to two of the following: glimepiride, glipizide or glipizide/metformin combination product.

Medicare Part D - 2018

Prior Authorization Group Description

GLYBURIDE/METFORMIN

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to two of the following: glimepiride, glipizide or glipizide/metformin combination product.

Prior Authorization Group Description
GRANIX
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Medicare Part D – 2018

|--|

HAEGARDA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Coverage Duration:

Initial: 6 months. Reauthorization: 12 months.

Other Criteria:

Failure of danazol, unless contraindicated or clinically significant adverse effects are experienced.

Prior Authorization Group Description

HARVONI

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Treatment of HCV genotype 1, 4, 5, or 6 with decompensated cirrhosis and sofosbuvir-based treatment failure.

Exclusion Criteria:

Required Medical Information:

Refer to the document, "Recommendations for Testing, Managing, and Treating Hepatitis C," by AASLD-IDSA available at http://www.hcvguidelines.org for drug regimen and duration of treatment based on genotype, treatment status, previous drug regimens used, past medical history and comorbidities.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a gastroenterologist, hepatologist or infectious disease physician.

Coverage Duration:

8 to 24 weeks based on genotype and prior treatment, cirrhosis, or liver transplant status.

HETLIOZ
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.

Prior Authorization Group Description

Medicare Part D – 2018

Prior Authorization Group Description

HUMAN GROWTH HORMONE

Covered Uses:

All medically accepted indications not otherwise excluded from Part D

Exclusion Criteria:

Required Medical Information:

CHILDREN AND ADOLESCENTS WITH GROWTH HORMONE DEFICIENCY, SHOX DEFICIENCY IN CHILDREN: The patient's baseline height must be greater than 2 SD below the mean for gender and age. Growth rate is such that the patient is unlikely to attain an adult height in the normal range - 59 inches for girls and 63 inches for boys. TURNER SYNDROME: Confirmed by karyotype. PRADER-WILLI or NOONAN SYNDROME: The patient's baseline height must be less than the 5th percentile for gender and age or 2 or more SD below the mean measured paternal height. Growth rate is such that the patient is unlikely to attain an adult height in the normal range - 59 inches for girls and 63 inches for boys. REAUTHORIZATION: Continued treatment will be approved with documentation of response to therapy.

Age Restrictions:

Prescriber Restrictions:

Coverage Duration:

Adults: Through the end of the Plan contract year. Children: 6 months.

Medicare Part D - 2018

Prior Authorization Group Description

HUMIRA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

PSORIATIC ARTHRITIS, PLAQUE PSORIASIS: Prescribed by or in consultation with a rheumatologist or dermatologist. CROHN'S DISEASE, ULCERATIVE COLITIS: Prescribed by or in consultation with a GI specialist. HIDRADENITIS SUPPURATIVA: Prescribed by or in consultation with a rheumatologist, dermatologist or GI specialist.

Coverage Duration:

12 months.

Other Criteria:

RHEUMATOID ARTHRITIS: Failure or clinically significant adverse effects to one of the following: methotrexate, sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine or auranofin. PLAQUE PSORIASIS: Failure or clinically significant adverse effects to one of the following: methotrexate, cyclosporine or acitretin.

Medicare Part D – 2018

Prior Authorization Group Description
HYDROCODONE (Zohydro ER)
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:

Coverage Duration:

Prescriber Restrictions:

Three months initial for non-malignant pain then one year. One year for cancer pain.

Other Criteria:

Failure or clinically significant adverse effects to two of the following: MS Contin, Kadian, Duragesic, Opana ER, Avinza or Oxycontin.

Medicare Part D - 2018

Prior Authorization Group Description

HYDROXYZINE HCL

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Oral formulations only: Pruritus: Failure or clinically significant adverse effects to one of the following topical agents: betamethasone, hydrocortisone, triamcinolone, fluticasone, clobetasol, fluocinonide or fluocinolone. Anxiety: Failure or clinically significant adverse effects to one of the following: venlafaxine, buspirone, duloxetine or escitalopram. Oral and injectable formulations: All other FDA approved indications: Patient is continuing on this medication without adverse effects.

Medicare Part D - 2018

Prior Authorization Group Description

HYDROXYZINE PAMOATE

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Pruritus: Failure or clinically significant adverse effects to one of the following topical agents: betamethasone, hydrocortisone, triamcinolone, fluticasone, clobetasol, fluocinonide or fluocinolone. Anxiety: Failure or clinically significant adverse effects to one of the following: venlafaxine, buspirone, duloxetine or escitalopram. All other FDA approved indications: Patient is continuing on this medication without adverse effects.

Prior Authorization Group Description

ICLUSIG

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Documentation of T315I mutation status. Acute Lymphoblastic Leukemia: Documentation of Philadelphia chromosome positive (Ph+) disease.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

T315I mutation-negative Chronic Myelogenous Leukemia: Failure of a trial of two tyrosine-kinase inhibitors (e.g., imatinib, nilotinib, dasatinib, bosutinib) used to treat CML, unless contraindicated or clinically significant adverse effects are experienced.

Medicare Part D - 2018

Prior Authorization Group Description

IDHIFA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Presence of an isocitrate dehydrogenase-2 (IDH2) mutation as detected by an FDA-approved test (e.g., Abbott RealTime IDH2 assay).

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Disease has relapsed or is refractory following treatment with a first line chemotherapy regimen (e.g., cytarabine, idarubicin, daunorubicin, cladribine, midostaurin, fludarabine).

Medicare Part D – 2018

Prior Authorization Group Description
ILARIS
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D. Acute gouty arthritis.
Exclusion Criteria:
Required Medical Information:
Documentation of current weight.
Age Restrictions:
Cryopyrin-Associated Periodic Syndromes: 4 years and older. All other covered indications: 2 years and older.
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Medicare Part D – 2018

Prior Authorization Group Description

IMATINIB
Covered Uses:
All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with an oncologist or hematologist.
Coverage Duration:
12 months.
Other Criteria:
Pediatric patients with Philadelphia chromosome positive (Ph+) acute lymphoblastic leukemia (ALL): Imatinib mus be used in combination with chemotherapy.

Medicare Part D – 2018

Prior Authorization Group Description

IMBRUVICA

Covered Uses:

All medically accepted indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Chronic graft-versus-host disease: Prescribed by or in consultation with an oncologist, hematologist, or bone marrow transplant specialist. For all other indications: Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Mantle cell lymphoma: Failure or clinically significant adverse effects to one prior therapy [e.g., Rituxan (rituximab), vincristine, cytarabine, cisplatin, doxorubicin, Treanda (bendamustine)]. Marginal zone lymphoma: Patient has received at least one prior anti-CD20-based therapy.

Medicare Part D – 2018

Prior Authorization Group Description

IMIPRAMINE HCL

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Depression: Failure or clinically significant adverse effects one of the following: bupropion, bupropion SR, bupropion XL, citalopram, desvenlafaxine succinate, duloxetine, escitalopram, fluoxetine, mirtazapine, sertraline, venlafaxine or venlafaxine XR.

Medicare Part D - 2018

Prior Authorization Group Description

IMIPRAMINE PAMOATE

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Depression: Failure or clinically significant adverse effects one of the following: bupropion, bupropion SR, bupropion XL, citalopram, desvenlafaxine succinate, duloxetine, escitalopram, fluoxetine, mirtazapine, sertraline, venlafaxine or venlafaxine XR.

Medicare Part D – 2018

Prior Authorization Group Description

12 months.

Other Criteria:

Failure or clinically significant adverse effects to naproxen and sulindac.

INDOMETHACIN
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.
Prescriber Restrictions:
Coverage Dynastions
Coverage Duration:

Prior Authorization Group Description

INFLECTRA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: RHEUMATOID ARTHRITIS and PLAQUE PSORIASIS: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Psoriatic Arthritis/Plaque Psoriasis: Prescribed by or in consultation with a rheumatologist or dermatologist. Crohn's Disease/Ulcerative Colitis: Prescribed by or in consultation with a gastroenterologist.

Coverage Duration:

12 months.

Other Criteria:

Rheumatoid Arthritis: Failure or clinically significant adverse effects to one of the following: methotrexate, sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine or auranofin. Plaque Psoriasis: Failure or clinically significant adverse effects to one of the following: methotrexate, cyclosporine or acitretin.

Prior Authorization Group Description

INLYTA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Thyroid carcinoma (i.e., Follicular carcinoma, Hurthle cell carcinoma, papillary carcinoma).

Exclusion Criteria:

Required Medical Information:

Follicular carcinoma, Hurthle cell carcinoma, papillary carcinoma: Disease is unresectable, recurrent/persistent or metastatic. CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Prior Authorization Group Description

INTERFERON BETA-1A (Avonex, Rebif)

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with a neurologist
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

Covered Uses:

Exclusion Criteria:

INTERFERON BETA-1B (Betaseron, Extavia)

All FDA-approved indications not otherwise excluded from Part D.

Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with a neurologist.
Coverage Duration:
12 months.
Other Criteria:

$\underline{\textbf{Prior Authorization Group Description}}$

INTUNIV

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Attention Deficit Hyperactivity Disorder: Failure or clinically significant adverse effects to two of the following: dexmethylphenidate, methylphenidate or mixed amphetamine salts.

Prior Authorization Group Description

JAKAFI

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Documentation of current platelet count and complete blood count (CBC). CONTINUATION OF THERAPY: Documentation of reduction in spleen volume or symptom improvement.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist or hematologist.

Coverage Duration:

Initial: 6 months. Reauthorization: Through the end of the Plan contract year.

JUXTAPID
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to Repatha 420 mg (unless contraindicated).

Prior Authorization Group Description

Prior Authorization Group Description

JYNARQUE

Covered Uses:

12 months.

All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with a nephrologist.
Coverage Duration:

Prior Authorization Group Description

KADCYLA

Covered Uses:

All medically accepted indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Kadcyla will be used as a single-agent therapy. Documentation that the patient has either received prior therapy for metastatic disease or developed disease recurrence during or within six months of completing adjuvant therapy.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Previously received trastuzumab and a taxane (e.g., paclitaxel, docetaxel), either separately or in combination.

Prior Authorization Group Description

KALYDECO
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Patients with cystic fibrosis who are homozygous for the F508del mutation.
Required Medical Information:
Presence of one mutation in the CFTR gene that is responsive to ivacaftor as detected by an FDA-cleared cystic fibrosis mutation test.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
KAZANO
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to Tradjenta or Jentadueto AND Failure or clinically significant adverse effects to one of the following: Januwia, Janumet, Janumet XR.

Prior Authorization Group Description

KETOROLAC TROMETHAMINE

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Patients with active peptic ulcer disease. Advanced renal impairment or at risk for renal failure due to volume depletion. Suspected or confirmed cerebrovascular bleeding, hemorrhagic diathesis, incomplete hemostasis and those at high risk for bleeding. Patient currently receiving aspirin or NSAIDs (Non-steroidal anti-inflammatory drugs). Patient currently receiving Probenecid or pentoxifylline.

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

5 days

Other Criteria:

Prior Authorization Group Description

KEVZARA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a rheumatologist.

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to one of the following: methotrexate, sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine, or auranofin.

Prior Authorization Protocol

Medicare Part D - 2018

Prior Authorization Group Description

KINERET

Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
CONTINUATION OF THERAPY: Maintained on therapy with positive response.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

RHEUMATOID ARTHRITIS: Failure or clinically significant adverse effects to one of the following: methotrexate, sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine or auranofin AND Failure or clinically significant

adverse effects to one of the following: Enbrel, Humira, Remicade, Cimzia, Simponi or Simponi Aria.

Prior Authorization Group Description

endocrine-based therapy.

KISQALI (includes Kisqali Femara Co-Pack)
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Will be used in combination with an aromatase inhibitor (e.g., letrozole, anastrozole or exemestane) as initial

Prior Authorization Group Description
KOMBIGLYZE XR
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to Tradjenta or Jentadueto AND Failure or clinically significant

adverse effects to one of the following: Januvia, Janumet, Janumet XR.

Prior Authorization Group Description
KORLYM
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Pregnancy.
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:

12 months.

Other Criteria:

Prior Authorization	Group	Descri	ption
---------------------	-------	--------	-------

KUVAN

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response, demonstrated by a reduction of blood phenylalanine levels from baseline.

Age Restrictions:

Prescriber Restrictions:

Coverage Duration:

Initial: 2 months. Reauthorization: Through the end of the Plan contract year.

Other Criteria:

KYNAMRO
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to Repatha 420 mg (unless contraindicated).

Prior Authorization Group Description

Prior Authorization Protocol

Medicare Part D – 2018

LATUDA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
CONTINUATION OF THERAPY: Maintained on therapy with positive response.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Schizophrenia: Failure or clinically significant adverse effects to two of the following generic atypical antipsychotics: risperidone, olanzapine, quetiapine, ziprasidone, aripiprazole.

Prior Authorization Group Description

Prior Authorization Group Description

LAZANDA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Age 18 or greater

Prescriber Restrictions:

Coverage Duration:

Through the end of the Plan contract year.

Other Criteria:

Patient is already taking and is tolerant to around-the-clock opioid therapy. Patients are considered opioid tolerant when taking another opioid daily for a week or longer (for example, at least 60 mg of oral morphine per day or an equianalgesic dose of another opioid).

Prior Authorization Group Description
LEMTRADA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with a neurologist.
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to two of the following: Aubagio, Tecfidera, Gilenya, Avonex, Betaseron, Plegridy, Copaxone, Glatopa, Extavia or Rebif.

Prior Authorization Group Description

LENVIMA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Medullary thyroid carcinoma.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Renal Cell Carcinoma: Failure or clinically significant adverse effects to one of the following: Sutent, Nexavar, Votrient, Inlyta, Avastin in combination with Intron-A, Proleukin, Torisel AND Failure or clinically significant adverse effects to Opdivo or Cabometyx AND Must be used in combination with everolimus (Afinitor).

Prior Authorization Group Description

LEUKINE
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Use Following Induction Chemotherapy in Acute Myelogenous Leukemia, Use in Mobilization and Following

Transplantation of Autologous Peripheral Blood Progentior Cells, Use in Myeloid Reconstitution After Autologous

or Allogeneic Bone Marrow Transplantation: Failure or clinically significant adverse effects to Neupogen.

Prior Authorization Group Description
LIDODERM
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D. Diabetic peripheral neuropathy. Cancer-related neuropathic pain.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

LONSURF

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Documentation that the patient does or does not have the KRAS wild type gene. CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to one of the following: 5-fluorouracil, capecitabine, oxaliplatin, irinotecan, Avastin, Cyramza, Zaltrap. If tumor expresses the KRAS wild type gene, failure or clinically significant adverse effects to Erbitux or Vectibix.

Prior Authorization Group Description

All FDA-approved indications not otherwise excluded from Part D.

LOTRONEX

Covered Uses:

Male patients.

Exclusion Criteria:

Required Medical Information:

Female patient with irritable bowel symptoms persisting for at least 6 months.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior	Authorization	Group	Description

LYNPARZA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Treatment of ovarian cancer: Mutations in the BRCA genes as detected by an FDA approved test.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Prior Authorization Group Description

LYNPARZA TABLET

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Treatment of ovarian cancer: Mutations in the BRCA genes as detected by an FDA approved test.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

For maintenance therapy: Completed two or more platinum-based chemotherapy regimens and is in a complete or partial response.

Prior Authorization Group Description

MACRODANTIN

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Urinary tract infectious disease, Acute treament: Failure or clinically significant adverse effects to ONE of the following: sulfamethoxazole/trimethoprim or ciprofloxacin. Urinary tract infectious disease, Prophylaxis: Patient is continuing on this medication without adverse effects.

Prior Authorization Group Description

MAVYRET

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Treatment-experienced patients with both NS3/4A protease inhibitor and NS5A inhibitor.

Required Medical Information:

If cirrhosis is present, confirmation of Child-Pugh A status. Refer to the document, "Recommendations for Testing, Managing, and Treating Hepatitis C," by AASLD-IDSA available at http://www.hcvguidelines.org for drug regimen and duration of treatment based on genotype, treatment status, previous drug regimens used, past medical history and comorbidities.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a gastroenterologist, hepatologist or infectious disease physician.

Coverage Duration:

8 to 16 weeks based on genotype, cirrhosis status, prior treatment regimen.

Other Criteria:

If patient has been previously treated with an HCV regimen containing NS5A inhibitor or an NS3/4A protease inhibitor, but not both, member has genotype 1.

Prior Authorization Group Description

MEGACE

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Cachexia associated with cystic fibrosis. Cachexia associated with cancer.

Exclusion Criteria:

Required Medical Information:

Breast Cancer: Megestrol acetate is being used for palliative treatment.

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Anorexia and cachexia associated with AIDS: Failure or clinically significant adverse effects to oxandrolone and dronabinol.

Prior Authorization Group Description

MEGACE ES

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Cachexia associated with cystic fibrosis. Cachexia associated with cancer.

Exclusion Criteria:

Required Medical Information:

Breast Cancer: Megestrol acetate is being used for palliative treatment.

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Anorexia and cachexia associated with AIDS: Failure or clinically significant adverse effects to oxandrolone and dronabinol.

Prior Authorization Group Description

MEKINIST

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Uveal melanoma.

Exclusion Criteria:

MELANOMA: Monotherapy for patients who have disease progression on prior BRAF inhibitor therapy.

Required Medical Information:

MELANOMA: Positive for the BRAF V600E or V600K mutation detected by an FDA-approved test. NON-SMALL CELL LUNG CANCER, ANAPLASTIC THYROID CANCER: Positive for BRAF V600E mutation.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

NON-SMALL CELL LUNG CANCER, ANAPLASTIC THYROID CANCER: Used in combination with Tafinlar.

$\underline{\textbf{Prior Authorization Group Description}}$

MEKTOVI

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Positive for BRAF V600E or V600K mutation as detected by an FDA-approved test.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Prescribed in combination with Braftovi.

Prior Authorization Group Description

MEPERIDINE

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to two of the following: codeine, hydromorphone, morphine, oxymorphone, hydrocodone/acetaminophen or oxycodone. Demerol injection only - all other FDA approved indications: patient is continuing on this medication without adverse effects.

METHAMPHETAMINE
Covered Uses:
All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria:
Treatment of obesity.
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

Prior Authorization Group Description
METHOCARBAMOL
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Patient is continuing on this medication without adverse effects.
Age Restrictions:
Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to generic methotrexate injection.

Prior Authorization Group Description

METHOTREXATE INJ (Otrexup, Rasuvo)

Prior Authorization Protocol

Medicare Part D – 2018

Prior Authorization Group Description

MIRVASO
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Diagnosis of persistent facial erythema of rosacea with papules and pustules of rosacea: Failure or clinically significant adverse effects to topical metronidazole, Finacea or oral doxycycline.

Prior Authorization Group Description

MOZOBIL

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Documentation of patient's current weight and absolute neutrophil count (ANC dated within 30 days prior to the request.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist or hematologist.

Coverage Duration:

12 months.

Other Criteria:

Documented failure to reach and/or maintain a target absolute neutrophil count (ANC) with an adequate trial of Neupogen alone. Must be administered in combination with a granulocyte-colony stimulating factor (G-CSF) (i.e., filgrastim, filgrastim-sndz, or tbo-filgrastim).

Prior Authorization Group Description

NAMENDA (includes Namenda XR)
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D. Vascular dementia.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prior authorization is required for patients 59 years and younger. Prior authorization is not required for patients 60 years and older.
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
NATPARA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.

Other Criteria:

Prior	Authorization	Group	Description

NERLYNX

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months total duration of therapy.

Other Criteria:

Documentation of previous treatment with Herceptin (trastuzumab) as adjuvant therapy.

Prior Authorization Group Description
NESINA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to Tradienta or Jentadueto AND Failure or clinically significant

adverse effects to one of the following: Januvia, Janumet, Janumet XR.

Prior Authorization Group Description
NEULASTA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D. Mobilization of peripheral-blood progenito cells prior to autologous transplantation.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
NEUPOGEN
Covered Uses:
$All\ FDA-approved\ indications\ not\ otherwise\ excluded\ from\ Part\ D.\ Myelodysplastic\ syndrome.\ Neutropenia\ in patients\ with\ HIV/AIDS.$
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

NINLARO

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to one prior therapy [e.g., Velcade (bortezomib), cyclophosphamide (Cytoxan), doxorubicin, Revlimid (lenalidomide), Thalomid (thalidomide), Alkeran (melphalan)]. Ninlaro must be used in combination with dexamethasone.

Prior Authorization Group Description
NORPACE
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Patient is continuing on this medication without adverse effects.
Age Restrictions:
Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
NORTHERA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

NUCALA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Patient has a blood eosinophil count of greater than or equal to 150 cells/mcL within the past 3 months. CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Patient is 12 years of age or older.

Prescriber Restrictions:

Prescribed by or in consultation with an allergist, pulmonologist, or immunologist.

Coverage Duration:

12 months.

Other Criteria:

Must be used in combination with ONE inhaled corticosteroid (e.g., beclomethasone, budesonide, flunisolide, fluticasone, mometasone, ciclesonide) AND must be used in combination with ONE long-acting beta-agonist (e.g., salmeterol, formoterol, vilanterol), unless contraindicated.

Prior Authorization Group Description

NUEDEXTA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with a neurologist.
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
NUPLAZID
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
OCALIVA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Must be used in combination with ursodeoxycholic acid unless patient is intolerant to ursodeoxycholic acid.

Prior Authorization Group Description

OCREVUS

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Member will not use other disease modifying therapies for MS concurrently. CONTINUATION OF THERAPY: Member is maintained on therapy with positive response (e.g., improved or maintained disease control evidenced by decreased or stabilized Expanded Disability Status Scale (EDSS) score or reduction in relapses or MRI lesions).

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a Neurologist.

Coverage Duration:

12 months.

Other Criteria:

Relapsing Forms Of Multiple Sclerosis: Failure or clinically significant adverse effects to one of the following: Aubagio, Tecfidera, Gilenya, Avonex, Betaseron, Plegridy, Copaxone, Glatopa, Extavia or Rebif.

Prior Authorization Protocol

Prior Authorization Group Description
ODOMZO
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Basal cell carcinoma has recurred following surgery or radiation therapy, or member is not a candidate for surgery or radiation therapy.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
OFEV
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
ONGLYZA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to Tradjenta or Jentadueto AND Failure or clinically significant

adverse effects to one of the following: Januvia, Janumet, Janumet XR.

Prior Authorization Group Description
OPSUMIT
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Protocol

Prior Authorization Group Description
ORENCIA CLICKJECT
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
CONTINUATION OF THERAPY: Maintained on therapy with positive response.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
RHEUMATOID ARTHRITIS: Failure or clinically significant adverse effects to one of the following: methotrexate sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine or auranofin. PSORIATIC ARTHRITIS: Failure or clinically significant adverse effects to methotrexate unless contraindicated.

Prior Authorization Group Description

ORENCIA IV

Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
CONTINUATION OF THERAPY: Maintained on therapy with positive response.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
RHEUMATOID ARTHRITIS: Failure or clinically significant adverse effects to Remicade AND one of the following: methotrexate, sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine or auranofin.

Prior Authorization Group Description
ORENCIA SC
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
CONTINUATION OF THERAPY: Maintained on therapy with positive response.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
RHEUMATOID ARTHRITIS: Failure or clinically significant adverse effects to one of the following: methotrexate, sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine or auranofin. PSORIATIC ARTHRITIS: Failure or clinically significant adverse effects to methotrexate unless contraindicated.

Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Presence of homozygous F508del mutation in an FDA-cleared cystic fibrosis mutation test.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

ORKAMBI

Prior Authorization Group Description
OSENI
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to Tradjenta or Jentadueto AND Failure or clinically significant adverse effects to one of the following: Januwet, Janumet XR.

Prior Authorization Group Description

OSMOLEX ER

experienced.

Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Medical justification supports inability to use immediate-release amantadine.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Failure of immediate-release amantadine unless contraindicated or clinically significant adverse effects are

Prior Authorization Group Description

OTEZLA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

PSORIATIC ARTHRITIS, PLAQUE PSORIASIS: Prescribed by or in consultation with a rheumatologist or dermatologist.

Coverage Duration:

12 months.

Other Criteria:

PLAQUE PSORIASIS: Failure or clinically significant adverse effects to ONE of the following: methotrexate, cyclosporine or acitretin.

Prior Authorization Group Description
PARAFON FORTE DSC
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Patient is continuing on this medication without adverse effects.
Age Restrictions:
Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
PERSERIS
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure of TWO of the following atypical antipsychotics, unless contraindicated or clinically significant adverse effects are experienced: aripiprazole, ziprasidone, quetiapine, olanzapine, risperidone, asenapine, iloperidone, paliperidone.

Prior Authorization Group Description

PHENOBARBITAL

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Partial seizures: Failure or clinically significant adverse effects to one of the following: carbamazepine, phenytoin, topiramate, tiagabine, levetiracetam, gabapentin, lamotrigine, oxcarbazepine, primidone or divalproex. Generalized seizures: Failure or clinically significant adverse effects to one of the following: carbamazepine, phenytoin, topiramate, levetiracetam, primidone or lamotrigine. Sedation: patient is continuing on this medication without adverse effects.

Prior Authorization Group Description

All FDA-approved indications not otherwise excluded from Part D.

PLEGRIDY

Covered Uses:

Exclusion Criteria:

Required Medical Information:

Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with a neurologist.
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

PRALUENT

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Heterozygous Familial Hypercholesterolemia: Documentation (e.g., medical records, chart notes, laboratory values) of LDL level suggestive of a diagnosis of heterozygous familial hypercholesterolemia (e.g., Adults: LDL greater than 190 mg/dL). Hypercholesterolemia: Documentation of an LDL of 100 mg/dL or greater AND documented history of clinical atherosclerotic cardiovascular disease defined as one of the following: Acute coronary syndromes, Myocardial Infarction, Stable or unstable angina, Coronary or other arterial revascularization (e.g., percutaneous coronary intervention or coronary artery bypass graft surgery), Stroke, Peripheral artery disease presumed to be of atherosclerotic origin, Transient ischemic attack (TIA), Clinically significant coronary heart disease (CHD) diagnosed by invasive or noninvasive testing (such as coronary angiography, stress test using treadmill, stress echocardiography, or nuclear imaging), Carotid artery occlusion greater than 50% without symptoms, Renal artery stenosis or renal artery stent procedure. Reauthorization requests require documentation of LDL reduction while on Praluent therapy AND, if tolerated, confirmation of continued statin therapy at the maximally tolerated dose.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a cardiologist, endocrinologist, or lipid specialist.

Coverage Duration:

6 months.

Other Criteria:

Clinically significant adverse effect(s), contraindication(s), intolerance or failure to two of the following at maximally tolerated doses: atorvastatin, rosuvastatin, simvastatin, Vytorin, pitavastatin, pravastatin, fluvastatin, or lovastatin.

Prior Authorization Group Description

PREVYMIS

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Member is receiving pimozide or ergot alkaloids. Member is receiving cyclosporine co-administered with pitavastatin or simvastatin.

Required Medical Information:

Intravenous (IV) Prevymis: Medical justification why the member cannot use oral therapy.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncology, hematology, infectious disease, or transplant specialist.

Coverage Duration:

Through day 100 post-transplantation.

Other Criteria:

Failure of generic valacyclovir or generic ganciclovir, unless contraindicated or clinically significant adverse effects are experienced.

Prior Authorization Group Description

(Femara)].

PROLIA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Hyopcalcemia (unless corrected prior to initiating therapy).
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

For men with non-metastatic prostate cancer: Receiving or has received androgen deprivation therapy [i.e. leuprolide (Lupron), bicalutamide (Casodex) or Nilandron]. For women with breast cancer: Receiving or has received adjuvant aromatase inhibitor therapy [i.e. anastrozole (Arimidex), exemestane (Aromasin) or letrozole

Prior Authorization Group Description

experienced.

PROMACTA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Thrombocytopenia in Chronic Hepatitis C: Documentation of current or planned interferon-based treatment of chronic hepatitis C.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Chronic Immune (Idiopathic) Thrombocytopenia: Failure of a corticosteroid (e.g., oral prednisone, intravenous

methylprednisolone or oral dexamethasone), unless contraindicated or clinically significant adverse effects are

Prior Authorization Protocol

Medicare Part D - 2018

Prior	Authorization	Group	Description

PROTOPIC

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Tacrolimus 0.1%: 16 years and older.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Failure of two medium to high potency topical corticosteroids (e.g., amcinonide, fluticasone propionate, triamcinolone acetonide, betamethasone valerate, fluocinolone acetonide, hydrocortisone butyrate, mometasone furoate, desoximetasone, fluocinonide or betamethasone dipropionate), unless contraindicated or clinically significant adverse effects are experienced.

Prior Authorization Protocol

<u>Prior Authorization Group Description</u>
PROVIGIL
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D. Multiple sclerosis-related fatigue.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

PURIXAN

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Lymphoblastic lymphoma.

Exclusion Criteria:

Required Medical Information:

Member has a documented swallowing disorder or an inability to swallow tablets or capsules. CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with oncologist or hematologist.

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to mercaptopurine tablets.

Prior Authorization Protocol

Medicare Part D – 2018

Prior Authorization Group Description

QUALAQUIN

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Babesiosis. Plasmodium vivax malaria.

Exclusion Criteria:

For the treatment or prevention of nocturnal leg cramps.

Required Medical Information:

Age Restrictions:

Prescriber Restrictions:

Coverage Duration:

Malaria: 7 days. Babesiosis: 7-10 days

Other Criteria:

Plasmodium vivax malaria: Infection is chloroquine-resistant.

Prior Authorization Protocol

Medicare Part D – 2018

Prior Authorization Group Description

RADICAVA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Forced vital capacity greater than or equal to 80%, disease duration of less than or equal to 2 years, functionally retains most activities of daily living (defined as a baseline revised ALS Functional Rating Scale (ALSFRS-R) score with greater than or equal to 2 points in each of the 12 items, meets diagnostic criteria of definite or probable amyotrophic lateral sclerosis (ALS) based on El Escorial revised criteria. CONTINUATION OF THERAPY: Member continues to retain most activities of daily living, forced vital capacity greater than or equal to 80%, and ALSFRS-R score with greater than or equal to 2 points in each of the 12 items.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a neurologist.

Coverage Duration:

6 months.

Other Criteria:

Prescribed in combination with riluzole unless contraindicated or clinically significant adverse effects are experienced.

Prior Authorization Group Description
RANEXA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Patients on strong CYP3A inhibitors (e.g., ketoconazole, HIV protease inhibitors, clarithromycin) or CYP3A inducers (e.g., rifampin, phenobarbital).
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
RAYALDEE
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Patient has stage 3 or 4 chronic kidney disease (CKD) and serum total 25-hydroxyvitamin D level less than 30 ng/mL.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

REMICADE

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Wegener's Granulomatosis.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: RHEUMATOID ARTHRITIS and PLAQUE PSORIASIS: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Psoriatic Arthritis/Plaque Psoriasis: Prescribed by or in consultation with a rheumatologist or dermatologist. Crohn's Disease/Ulcerative Colitis: Prescribed by or in consultation with a gastroenterologist.

Coverage Duration:

12 months.

Other Criteria:

Rheumatoid Arthritis: Failure or clinically significant adverse effects to one of the following: methotrexate, sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine or auranofin. Plaque Psoriasis: Failure or clinically significant adverse effects to one of the following: methotrexate, cyclosporine or acitretin.

Prior Authorization Group Description

REPATHA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Heterozygous or Homozygous Familial Hypercholesterolemia: Documentation (e.g., medical records, chart notes, laboratory values) of LDL level suggestive of a diagnosis of familial hypercholesterolemia (e.g., Adults: LDL greater than 190 mg/dL). Hypercholesterolemia: Documentation of an LDL of 100 mg/dL or greater AND documented history of clinical atherosclerotic cardiovascular disease defined as one of the following: Acute coronary syndromes, Myocardial Infarction, Stable or unstable angina, Coronary or other arterial revascularization (e.g., percutaneous coronary intervention or coronary artery bypass graft surgery), Stroke, Peripheral artery disease presumed to be of atherosclerotic origin, Transient ischemic attack (TIA), Clinically significant coronary heart disease (CHD) diagnosed by invasive or noninvasive testing (such as coronary angiography, stress test using treadmill, stress echocardiography, or nuclear imaging), Carotid artery occlusion greater than 50% without symptoms, Renal artery stenosis or renal artery stent procedure. Reauthorization requests require documentation of LDL reduction while on Repatha therapy AND, if tolerated, confirmation of continued statin therapy at the maximally tolerated dose.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a cardiologist, endocrinologist, or lipid specialist.

Coverage Duration:

6 months.

Other Criteria:

Clinically significant adverse effect(s), contraindication(s), intolerance or failure to two of the following at maximally tolerated doses: atorvastatin, rosuvastatin, simvastatin, Vytorin, pitavastatin, pravastatin, fluvastatin, or lovastatin.

Prior Authorization Group Description
REVATIO
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Patients taking nitrates (e.g., Nitrodur, Nitrobid, Nitrostat, Isordil, Ismo). Patients taking a guanylate cyclase stimulator, such as riociguat (Adempas).
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Protocol

Medicare Part D – 2018

Prior Authorization Group Description

All medically accepted indications not otherwise excluded from Part D.

REVLIMID

Covered Uses:

Exclusion Criteria:

Patients who are pregnant.

Required Medical Information:

Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Mantle Cell Lymphoma: Failure of maximally tolerated doses of two prior chemo therapies (e.g., CHOP [cyclophosphamide, doxorubicin, vincristine, and prednisone], hyperCVAD [cyclophosphamide, vincristine, doxorubicin, and dexamethasone]) including Velcade unless contraindicated or clinically significant adverse effects are experienced. Multiple Myeloma: Must be used in combination with dexamethasone unless being used as maintenance therapy following autologous hematopoietic stem cell transplantation or as maintenance therapy for active (symptomatic) myeloma responding to primary myeloma therapy.

Prior Authorization Protocol

Medicare Part D – 2018

REXULTI
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
CONTINUATION OF THERAPY: Maintained on therapy with positive response.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Schizophrenia: Failure or clinically significant adverse effects to two of the following generic atypical antipsychotics: risperidone, olanzapine, quetiapine, ziprasidone, aripiprazole.

Prior Authorization Group Description

<u>Prior Authorization Group Description</u>
RUBRACA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Mutations in the BRCA genes as detected by an FDA-approved test or member has a complete or partial response to two or more platinum-based chemotherapy regimens.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

RYDAPT

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Acute Myeloid Leukemia: Positive for the FLT3 mutation as detected by an FDA-approved test (e.g., LeukoStrat CDx FLT3 Mutation Assay). CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Acute Myeloid Leukemia: Prescribed by or in consultation with an oncologist. Advanced Systemic Mastocytosis: Prescribed by or in consultation with an oncologist, allergist, or immunologist.

Coverage Duration:

12 months.

Other Criteria:

Acute Myeloid Leukemia: Prescribed in combination with daunorubicin for induction therapy AND in combination with cytarabine for induction and consolidation therapy.

Prior Authorization Protocol

Medicare Part D – 2018

Prior Authorization Group Description

SEROSTIM
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
REAUTHORIZATION: Continued treatment will be approved with documentation of response to therapy.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
6 months.
Other Criteria:
Patient is being treated with concomitant antiretroviral therapy

Prior Authorization Group Description

SILIQ

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a rheumatologist or dermatologist.

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to one of the following as recommended by the American Academy of Dermatology: methotrexate, cyclosporine or acitretin.

Prior Authorization Group Description

SIMPONI

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

PSORIATIC ARTHRITIS: Prescribed by or in consultation with a rheumatologist or dermatologist. ULCERATIVE COLITIS: Prescribed by or in consultation with a gastroenterologist.

Coverage Duration:

12 months.

Other Criteria:

RHEUMATOID ARTHRITIS: Failure or clinically significant adverse effects to one of the following: methotrexate, sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine or auranofin.

SIMPONI ARIA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
CONTINUATION OF THERAPY: Maintained on therapy with positive response.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to one of the following: methotrexate, sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine or auranofin.

Prior Authorization Group Description

Prior Authorization Group Description
SKELAXIN
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Patient is continuing on this medication without adverse effects.
A so Doctrictions
Age Restrictions:
Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
SOMA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Patient is continuing on this medication without adverse effects.
Age Restrictions:
Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
SOMAVERT
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Tracerisor resourcedus.
Coverage Duration:
12 months.
Other Criteria:
Inadequate response to surgery or radiation therapy, unless surgery or radiation therapy is not appropriate for the patient.

Prior Authorization Group Description

SONATA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to two of the following: Rozerem, Silenor 6 mg/day or less, trazodone or temazepam.

Prior Authorization Group Description

SOVALDI

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. For the treatment of hepatitis C virus genotypes 5 and 6.

Exclusion Criteria:

Required Medical Information:

Diagnosis of chronic hepatitis C (CHC) and genotype 1, 2, 3, 4, 5 or 6 confirmed by detectable serum hepatitis C virus RNA by quantitative assay OR For treatment of CHC in patients with hepatocellular carcinoma (HCC) meeting Milan criteria (awaiting liver transplantation). Milan criteria is defined as the presence of a tumor 5 cm or less in diameter in patients with single hepatocellular carcinomas and no more than three tumor nodules, each 3 cm or less in diameter in patients with multiple tumors and no extrahepatic manifestations of the cancer or evidence of vascular invasion of tumor. Refer to the document, "Recommendations for Testing, Managing, and Treating Hepatitis C," by AASLD-IDSA available at http://www.hcvguidelines.org for drug regimen and duration of treatment based on genotype, treatment status, previous drug regimens used, past medical history and comorbidities.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a gastroenterologist, hepatologist or infectious disease physician.

Coverage Duration:

GT 1 to 6: 12 to 24 weeks or HCC with CHC: up to 48 weeks or until liver transplantation

Other Criteria:

For Sovaldi in combination with Daklinza for genotype 1: Failure or clinically significant adverse effects to Harvoni (sofosbuvir/ledipasvir). For Sovaldi in combination with Daklinza for genotype 2: Failure or clinically significant adverse effects to sofosbuvir/ribavirin. For patients with hepatocellular carcinoma (HCC) meeting Milan criteria (awaiting liver transplantation): must be used in combination with ribavirin.

SPRITAM
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Medical justification must be provided why patient cannot take generic levetiracetam tablets or liquid.

Prior Authorization Group Description

Prior Authorization Group Description
SPRYCEL
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with an oncologist.
Coverage Duration:
12 months.
Other Criteria:
Accelerated, or myeloid or lymphoid blast phase Philadelphia chromosome-positive chronic myeloid leukemia (CML) or Philadelphia chromosome-positive acute lymphoblastic leukemia (ALL): Failure of imatinib, unless contraindicated or clinically significant adverse effects are experienced.

Prior Authorization Group Description

STELARA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

PSORIATIC ARTHRITIS, PLAQUE PSORIASIS: Prescribed by or in consultation with a rheumatologist or dermatologist. CROHN'S DISEASE: Prescribed by or in consultation with a gastroenterologist.

Coverage Duration:

12 months.

Other Criteria:

PLAQUE PSORIASIS: Failure or clinically significant adverse effects to ONE of the following: methotrexate, cyclosporine, or acitretin. PSORIATIC ARTHRITIS: Failure or clinically significant adverse effects to methotrexate unless contraindicated.

Prior Authorization Group Description

All FDA-approved indications not otherwise excluded from Part D.

STELARA IV

Covered Uses:

Exclusion Criteria:

Required Medical Information:

Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with a gastroenterologist.
Coverage Duration:
4 weeks.
Other Criteria:

Prior Authorization Group Description

STIVARGA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

METASTATIC COLORECTAL CANCER: Documentation that the patient does or does not have the RAS wild type gene. Documentation that the patient does or does not have the BRAF V600E mutation. CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

METASTATIC COLORECTAL CANCER: If tumor does not have the RAS wild type gene, failure or clinically significant adverse effects to one of the following: 5-fluorouracil, capecitabine, oxaliplatin, irinotecan, Cyramza, Avastin, Zaltrap OR If tumor expresses the RAS wild type gene without the BRAF V600E mutation, failure or clinically significant adverse effects to Erbitux or Vectibix. GASTROINTESTINAL STROMAL TUMOR: Failure or clinically significant adverse effects to one of the following: Gleevec or Sutent.

Prior Authorization Group Description
STRENSIQ
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

SUBSYS

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Age 18 or greater

Prescriber Restrictions:

Coverage Duration:

Through the end of the Plan contract year.

Other Criteria:

Patient is already taking and is tolerant to around-the-clock opioid therapy. Patients are considered opioid tolerant when taking another opioid daily for a week or longer (for example, at least 60 mg of oral morphine per day or an equianalgesic dose of another opioid).

Prior Authorization Group Description

SUBUTEX

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Patient is pregnant OR Written documentation of intolerance to naloxone.

Age Restrictions:

Prescriber Restrictions:

Coverage Duration:

Non pregnant: 3 months initial. Pregnant patients: 9 months.

Other Criteria:

Prior Authorization Group Description

SURMONTIL

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Irritable bowel syndrome.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Depression: Failure or clinically significant adverse effects to one of the following: bupropion, bupropion SR, bupropion XL, citalopram, desvenlafaxine succinate, duloxetine, escitalopram, fluoxetine, mirtazapine, sertraline, venlafaxine, or venlafaxine XR.

Prior Authorization Group Description
SYMDEKO
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Presence of homozygous F508del mutation or at least one mutation in the CFTR gene that is responsive to tezacaftor/ivacaftor.
Age Restrictions:
Age greater than or equal to 12 years.
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
SYMLINPEN
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Documentation that the current HbA1c level is greater than 7%.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Diabetes Type 2: Failure of a metformin-containing regimen, unless contraindicated or clinically significant adverse effects are experienced. Diabetes Type 1: Failure of an insulin-containing regimen, unless contraindicated or clinically significant adverse effects are experienced.

Prior Authorization Group Description

TAGRISSO

Covered Uses:

All medically accepted indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Disease is positive for any of the following, as detected by an FDA-approved test: exon 19 deletions, exon 21 L858R mutations, or T790M mutation with progression on or after an EGFR TKI therapy (e.g., Tarceva, Iressa, or Gilotrif).

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Prior Authorization Group Description

TALTZ

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a rheumatologist or dermatologist.

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to one of the following: methotrexate, cyclosporine or acitretin.

Prior Authorization Group Description

TARCEVA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Non-small cell lung cancer: Documentation that the patient has EGFR exon 19 deletions or exon 21 (L858R) substitution mutations as detected by an FDA-approved test.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Pancreatic cancer: Tarceva is being prescribed in combination with gemcitabine.

Prior Authorization Group Description

TASIGNA

Covered Uses:

All medically accepted indications not otherwise excluded from Part D.

Exclusion Criteria:

Patients with hypokalemia, hypomagnesemia, or long QT syndrome.

Required Medical Information:

Chronic Myelogenous Leukemia (CML), Acute Lymphoblastic Leukemia (ALL): Documentation that the patient has Philadelphia chromosome positive disease.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Soft Tissue Sarcoma Gastrointestinal Stromal Tumor: Failure to imatinib, sunitinib, or regorafenib, unless contraindicated or clinically significant adverse effects are experienced

Prior Authorization Group Description
TAVALISSE
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure of a corticosteroid (e.g., prednisone, methylprednisolone, or dexamethasone), unless contraindicated or clinically significant adverse effects are experienced.

Prior Authorization Group Description
TECENTRIQ
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Failure of platinum-containing chemotherapy (e.g., cisplatin or carboplatin), OR the patient is not eligible for cisplatin-containing chemotherapy. Non-small cell lung cancer: If a known epidermal growth factor receptor (EGFR) or anaplastic lymphoma kinase (ALK) genomic tumor aberration exists, then for ALK+ disease: prior trial of Xalkori or Alecensa OR for EGFR+ disease: prior trial of Tarceva, Gilotrif or Iressa.

Prior Authorization Group Description

All FDA-approved indications not otherwise excluded from Part D.

TECFIDERA

Covered Uses:

Exclusion Criteria:

Required Medical Information:

Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with a neurologist.
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Protocol

Medicare Part D - 2018

Prior Authorization Group Description

TENEX

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to two of the following: amlodipine/benazepril, benazepril, benazepril, benazepril/hydrochlorothiazide, captopril, captopril/hydrochlorothiazide, fosinopril, fosinopril/hydrochlorothiazide, lisinopril/hydrochlorothiazide, quinapril, quinapril/hydrochlorothiazide, losartan, losartan/hydrochlorothiazide, valsartan, valsartan/hydrochlorothiazide, irbesartan, irbesartan/hydrochlorothiazide, candesartan, candesartan/hydrochlorothiazide, carvedilol, labetalol, acebutolol, atenolol, bisoprolol, bisoprolol/hydrochlorothiazide, timolol, nadolol, propranolol, metoprolol/hydrochlorothiazide, pindolol, nifedipine SR, amlodipine, nicardipine.

TETRABENAZINE
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

Prior Authorization Group Description

TIBSOVO

Covered Uses:

All medically accepted indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Presence of an isocitrate dehydrogenase-1 (IDH1) mutation as detected by an FDA-approved test (e.g., Abbott RealTime IDH1 Assay).

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist or hematologist.

Coverage Duration:

12 months.

Other Criteria:

For age less than 60 years, disease has relapsed or is refractory following treatment with a first-line chemotherapy regimen (e.g., cytarabine, idarubicin, daunorubicin, cladribine, midostaurin).

Prior Authorization Group Description

TREMFYA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a rheumatologist or dermatologist.

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to ONE of the following as recommended by the American Academy of Dermatology: methotrexate, cyclosporine, or acitretin.

Prior Authorization Group Description

TRIHEXYPHENIDYL

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Parkinsons disease/Parkinsonism: Failure or clinically significant adverse effects to two of the following: amantadine, levodopa/carbidopa, entacapone, pramipexole, ropinirole, selegiline. All other FDA-approved indications: Patient is continuing on this medication without adverse effects.

Prior Authorization Group Description
TYMLOS
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
CONTINUATION OF THERAPY: Maintained on therapy with positive response. Tymlos has not been used for more than two years.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure of a bisphosphonate (e.g., alendronate) unless contraindicated or clinically significant adverse effects are

experienced.

Prior Authorization Group Description

TYSABRI

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Patients who have or have had progressive multifocal leukoencephalopathy.

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

MULTIPLE SCLEROSIS: Prescribed by or in consultation with a neurologist. CROHN'S DISEASE: Prescribed by or in consultation with a GI specialist.

Coverage Duration:

12 months.

Other Criteria:

RELAPSING FORMS OF MULTIPLE SCLEROSIS: Failure or clinically significant adverse effects to one of the following: Aubagio, Tecfidera, Gilenya, Avonex, Betaseron, Plegridy, Copaxone, Glatopa, Extavia or Rebif. CROHN'S DISEASE: Failure or clinically significant adverse effects to Humira or Remicade.

Prior Authorization Group Description
UPTRAVI
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description
VALCHLOR
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to one of the following skin-directed therapies: topical corticosteroids (e.g., clobetasol, triamcinolone), Targretin gel, Tazorac, or imiquimod. FOR CONTINUATION OF THERAPY:

Maintained on therapy with positive response.

Prior Authorization Protocol

Medicare Part D – 2018

Prior Authorization	Group	Descri	ption
---------------------	-------	--------	-------

VANCOCIN

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a gastroenterologist, infectious disease specialist or hospitalist.

Coverage Duration:

C. Diff diarrhea: 14 days. Staph enterocolitis: 10 days. Recurrent C. Diff: 10 weeks

Other Criteria:

Prior Authorization Group Description
VENCLEXTA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure of clinically significant adverse effects to one previous therapy (e.g., Imbruvica, Campath, high-dose methylprednisolone with Rituxan).

Prior Authorization Group Description
VERSACLOZ
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D. Psychotic disorder associated with Parkinson's disease.
Exclusion Criteria:
Required Medical Information:
CONTINUATION OF THERAPY: Maintained on therapy with positive response.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.

Failure of or clinically significant adverse effects to clozapine (Clozaril) or FazaClo.

Other Criteria:

Prior Authorization Protocol

Medicare Part D – 2018

Prior Authorization Group Description
VERZENIO
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:

Hormone receptor (HR)-positive, human epidermal growth factor receptor 2 (HER2)-negative advanced or

Age Restrictions:

Prescriber Restrictions:

metastatic breast cancer.

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Prior Authorization Group Description
VIBERZI
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to loperamide and either diphenoxylate-atropine or dicyclomine, unless patient is 65 years or older.

Exclusion Criteria:
Required Medical Information:
Documentation that vinblastine is being used as palliative therapy.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

All medically accepted indications not otherwise excluded from Part D.

Prior Authorization Group Description

VINBLASTINE

Covered Uses:

Prior Authorization Group Description
VINCRISTINE
Covered Uses:
All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria:
Patients with the demyelinating form of Charcot-Marie-Tooth syndrome.
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Hodgkin's disease, non-Hodgkin's malignant lymphomas, rhabdomyosarcoma, neuroblastoma, Wilms' tumor: use in combination with other oncolytic agents.

Prior Authorization Group Description

VOSEVI

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

For members with cirrhosis, documentation of Child-Pugh A status. Refer to the document, "Recommendations for Testing, Managing, and Treating Hepatitis C," by AASLD-IDSA available at http://www.hcvguidelines.org for drug regimen and duration of treatment based on genotype, treatment status, previous drug regimens used, past medical history and comorbidities.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a gastroenterologist, hepatologist or infectious disease physician.

Coverage Duration:

12 weeks.

Other Criteria:

If HCV genotype 1, 2, 3, 4, 5 or 6, member has previously been treated with an HCV regimen containing one of the following NS5A inhibitors: daclatasvir, elbasvir, ledipasvir, ombitasvir, or velpatasvir. Alternatively, if HCV genotype is 1a or 3, member has previously been treated with an HCV regimen containing sofosbuvir.

Prior Authorization Group Description

VOTRIENT

epirubicin).

Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with an oncologist.
Coverage Duration:
12 months.
Other Criteria:
SOFT TISSUE SARCOMA: Member has received prior chemotherapy (e.g., regimens containing doxorubicin or

Prior Authorization Group Description

VRAYLAR
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to TWO of the following atypical antipsychotics: aripiprazole, ziprasidone, quetiapine, olanzapine, risperidone.

Prior Authorization Group Description
XALKORI
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Documentation that the patient is ALK-positive as detected by an FDA-approved test or that the patient is ROS-1 positive as confirmed by a laboratory-developed break-apart FISH or RT-PCR clinical trial assay.
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with an oncologist.
Coverage Duration:
12 months.

Other Criteria:

Prior Authorization Group Description

XATMEP

Covered Uses:

All medically accepted indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Less than 18 years of age.

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist (for acute lymphoblastic leukemia) or rheumatologist (for polyarticular juvenile idiopathic arthritis).

Coverage Duration:

12 months.

Other Criteria:

Medical justification as to why member cannot use methotrexate tablets.

XELJANZ (includes Xeljanz XR)
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
CONTINUATION OF THERAPY: Maintained on therapy with positive response.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:
Failure or clinically significant adverse effects to one of the following: methotrexate, sulfasalazine, hydroxychloroquine, d-penicillamine, azathioprine or auranofin.

Prior Authorization Group Description

Prior Authorization Group Description
XEOMIN
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization	Group Description

XERMELO

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Prescribed in combination with a somatostatin analog (e.g., octreotide, lanreotide) unless contraindicated or clinically significant adverse effects are experienced. CONTINUATION OF THERAPY: Maintained on therapy with positive response (e.g., reduction in bowel movement frequency, reduction in urinary 5-HIAA levels).

Age Restrictions:

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Failure to a trial of a somatostatin analog (e.g., octreotide, lanreotide) unless contraindicated or clinically significant adverse effects are experienced.

Prior Authorization Group Description

XOLAIR

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Moderate to severe persistent asthma: Patient has a positive skin test or in vitro reactivity to a perennial aeroallergen AND Patient has a confirmed total serum IgE level greater than 30 IU/ml. CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Asthma: Patient is 6 years of age or older. Chronic Idiopathic Urticaria: Patient is 12 years of age or older.

Prescriber Restrictions:

Asthma: Prescribed by or in consultation with a pulmonologist, immunologist, or allergist. Urticaria: Prescribed by or in consultation with an allergist, dermatologist, or immunologist.

Coverage Duration:

12 months.

Other Criteria:

Moderate to severe persistent asthma: Failure or clinically significant adverse effects to one inhaled corticosteroid (e.g., beclomethasone, budesonide, flunisolide, fluticasone, mometasone, ciclesonide). Chronic Idiopathic Urticaria: Failure or clinically significant adverse effects to one H1 Antihistamine (e.g., levocetirizine or desloratadine).

Prior Authorization Group Description

XTANDI

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

For patients without visceral metastases: failure or clinically significant adverse effects to Zytiga.

Prior Authorization Group Description

YERVOY

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Small cell lung cancer.

Exclusion Criteria:

Required Medical Information:

Small cell lung cancer: Disease relapse within 6 months following complete or partial response or stable disease.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Small cell lung cancer: Disease relapse with initial treatment (e.g., cisplatin, carboplatin containing regimen).

Prior Authorization Group Description

YONSA
Covered Uses:
All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with an oncologist or urologist.
Coverage Duration:
12 months.
Other Criteria:
Prescribed in combination with methylprednisolone. Member has previously had bilateral orchiectomy, failed androgen deprivation therapy (ADT) or will use ADT concurrently with Yonsa.

Prior Authorization Group Description

All FDA-approved indications not otherwise excluded from Part D.

ZALTRAP

Covered Uses:

Coverage Duration:

12 months.

Other Criteria:

Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Prescribed by or in consultation with an oncologist.

Colorectal cancer is resistant or has progressed following an oxaliplatin-containing regimen AND Zaltrap will be

used in combination with 5-fluorouracil, leucovorin, and irinotecan (FOLFIRI).

Prior Authorization Group Description
ZARXIO
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D. Myelodysplastic syndrome. Neutropenia in patients with HIV/AIDS. Hematopoietic syndrome of acute radiation syndrome.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
12 months.
Other Criteria:

Prior Authorization Group Description

ZEJULA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

Completed two or more platinum-based chemotherapy regimens and are in a complete or partial response.

Prior Authorization Group Description

ZELBORAF

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Non-small cell lung cancer. Hairy Cell Leukemia.

Exclusion Criteria:

MELANOMA: Patients with wild-type BRAF melanoma.

Required Medical Information:

MELANOMA, NON-SMALL CELL LUNG CANCER: Positive for the BRAF V600E mutation detected by an FDA-approved test.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

HAIRY CELL LEUKEMIA: Condition is non-responsive to purine analog therapy (e.g., pentostatin, cladribine).

Prior Authorization Group Description

ZEPATIER

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Refer to the document, "Recommendations for Testing, Managing, and Treating Hepatitis C," by AASLD-IDSA available at http://www.hcvguidelines.org for drug regimen and duration of treatment based on genotype, treatment status, previous drug regimens used, past medical history and comorbidities.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a gastroenterologist, hepatologist or infectious disease physician.

Coverage Duration:

12 to 16 wks based on genotype, presence of NS5A resistance-associated polymorphisms, prior treatment.

Other Criteria:

Prior Authorization Group Description

ZINPLAVA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Documentation of positive Clostridium difficile test.
Age Restrictions:
Prescriber Restrictions:
Coverage Duration:
4 weeks.
Other Criteria:
Will receive or is currently receiving antibacterial drug treatment for Clostridium difficile infection (e.g., metronidazole, vancomycin, fidaxomicin) concomitantly with Zinplava. Has received appropriate treatment for past CDI recurrences, including a pulsed vancomycin regimen.

ZOLPIDEM

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D.

Exclusion Criteria:

Required Medical Information:

Age Restrictions:

Prior authorization is required for patients 65 years and older. Prior authorization is not required for patients 64 years and younger.

Prescriber Restrictions:

Coverage Duration:

12 months.

Other Criteria:

Failure or clinically significant adverse effects to two of the following: Rozerem, Silenor 6 mg/day or less, trazodone or temazepam.

Prior Authorization Group Description

ZYDELIG

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. MALT lymphoma (gastric and nongastric). Splenic Marginal Zone Lymphoma. Primary Cutaneous Marginal Zone B-Cell Lymphoma. Nodal Marginal Zone Lymphoma.

Exclusion Criteria:

Required Medical Information:

CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with a hematologist or oncologist.

Coverage Duration:

12 months.

Other Criteria:

For relapsed follicular B-cell non-Hodgkin lymphoma (FL) or relapsed small lymphocytic lymphoma (SLL): failure or clinically significant adverse effects to two prior systemic therapies (e.g., For FL: Leukeran, Rituxan, Treanda, R-CHOP, R-CVP, FCMR or for SL: Leukeran, Gazyva, FCR, FR, BR or PCR).

Prior Authorization Group Description

ZYKADIA

Covered Uses:

All FDA-approved indications not otherwise excluded from Part D. Soft tissue sarcoma - inflammatory myofibroblastic tumor.

Exclusion Criteria:

Required Medical Information:

Documentation that the patient does or does not have anaplastic lymphoma kinase (ALK)-positive disease. CONTINUATION OF THERAPY: Maintained on therapy with positive response.

Age Restrictions:

Prescriber Restrictions:

Prescribed by or in consultation with an oncologist.

Coverage Duration:

12 months.

Other Criteria:

ZYTIGA
Covered Uses:
All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria:
Required Medical Information:
Age Restrictions:
Prescriber Restrictions:

12 months.

Coverage Duration:

Must be used in combination with prednisone.

Prior Authorization Group Description

\boldsymbol{A}	CYTARABINE	48
ACTEMRA IV1	D	
ACTEMRA SC	DAKLINZA	49
ACTHAR HP	DIPYRIDAMOLE	
ACTIQ4	DOXEPIN	
ACYCLOVIR5	DOALFIN	
ADCIRCA	$oldsymbol{E}$	
ADEMPAS	ELIDEL	50
AFINITOR8	EMEND 40 MG	
ALECENSA 10	EMFLAZA	
ALECENSA	ENBREL	
ALUNBRIG	ENDARI	
AMITRIPTYLINE	ENTRESTO	
AMITRIPTYLINE/CHLORDIAZEPOXIDE13	ENTYVIO	
AMITRIPTYLINE/PERPHENAZINE14	EPCLUSA	
AMPHOTERICIN B15	EPOETIN (Epogen, Procrit)	
AMPYRA16	ERGOLOID MESYLATES	
ANTIHISTAMINES (carbinoxamine, clemastine,	ERLEADA	
cyproheptadine, diphenhydramine, promethazine)	ESBRIET	63
17	ESTROGENS (Activella, Amabelz, Climara,	
ARANESP18	Divigel, Estrace, estropipate, Femhrt, Fyavolv,	
AUBAGIO19	Lopreeza, Mimvey, Mimvey Lo, Premarin,	
B	Premphase, Prempro)	64
Б	EXONDYS 51	65
BAXDELA20	T.	
BELEODAQ21	\boldsymbol{F}	
BELSOMRA22	FARYDAK	66
BENLYSTA23	FASENRA	67
BENZTROPINE24	FERRIPROX	68
BLEOMYCIN25	FIORINAL WITH CODEINE	
BOSULIF26	FIRAZYR	
BOTOX27	FLECTOR	
BRAFTOVI28	FLUOROURACIL	
BRIVIACT29	FORTEO	
BUPRENORPHINE/NALOXONE30		.,,
BUTABARBITAL31	G	
-	GANCICLOVIR	74
C	GATTEX	
CABOMETYX32	GILENYA	
CALQUENCE	GILOTRIF	
CAPRELSA34	GLATIRAMER (Copaxone, Glatopa)	
CAYSTON 35	GLYBURIDE (Diabeta, Glynase)	
CERDELGA 36	GLYBURIDE/METFORMIN	
CEREZYME	GRANIX	
CHORIONIC GONADOTROPIN38	UKANIA	01
CIMZIA39	H	
-	HAECADDA	0.2
CINDAIR	HAEGARDA	
CIA DRIBINE	HARVONI	
CLADRIBINE	HETLIOZ	
CLOMIPRAMINE	HUMAN GROWTH HORMONE	
COMETRIQ44	HUMIRA	
COSENTYX45	HYDROCODONE (Zohydro ER)	
COTELLIC46	HYDROXYZINE HCL	
CYCLOBENZAPRINE HCL47	HYDROXYZINE PAMOATE	89

I		METHOTREXATE INJ (Otrexup, Rasuvo)	
ICLUSIG	90	MIRVASO	
IDHIFA		MOZOBIL	138
ILARIS		N	
		1 V	
IMATINIB		NAMENDA (includes Namenda XR)	139
IMBRUVICA		NATPARA	
IMIPRAMINE HCL		NERLYNX	
IMIPRAMINE PAMOATE		NESINA	
INDOMETHACIN		NEULASTA	
INFLECTRA		NEUPOGEN	
INLYTA	99	NINLARO	
INTERFERON BETA-1A (Avonex, Rebif)	.100		
INTERFERON BETA-1B (Betaseron, Extavia)	.101	NORPACE	
INTUNIV	.102	NORTHERA	
		NUCALA	
J		NUEDEXTA	
JAKAFI	103	NUPLAZID	150
JUXTAPID		0	
JYNARQUE		O	
JINARQUE	.103	OCALIVA	151
K		OCREVUS	152
W. P. CAW.	10.5	ODOMZO	153
KADCYLA		OFEV	
KALYDECO		ONGLYZA	
KAZANO		OPSUMIT	
KETOROLAC TROMETHAMINE	.109	ORENCIA CLICKJECT	
KEVZARA	.110	ORENCIA IV	
KINERET	.111	ORENCIA IV	
KISQALI (includes Kisqali Femara)	.112		
KOMBIGLYZE XR	.113	ORKAMBI	
KORLYM	.114	OSENI	
KUVAN	.115	OSMOLEX ER	
KYNAMRO		OTEZLA	163
	.110	P	
L		-	
LATUDA	117	PARAFON FORTE DSC	
LAZANDA		PERSERIS	
LEMTRADA		PHENOBARBITAL	166
		PLEGRIDY	167
LENVIMA		PRALUENT	168
LEUKINE		PREVYMIS	169
LIDODERM		PROLIA	170
LONSURF		PROMACTA	
LOTRONEX		PROTOPIC	
LYNPARZA		PROVIGIL	
LYNPARZA TABLET	.126	PURIXAN	
M		I UKIMAN	1/4
IVI		ϱ	
MACRODANTIN	.127		175
MAVYRET	.128	QUALAQUIN	1/5
MEGACE		R	
MEGACE ES			
MEKINIST		RADICAVA	
MEKTOVI		RANEXA	
MEPERIDINE		RAYALDEE	
METHAMPHETAMINE		REMICADE	179
		REPATHA	180
METHOCARBAMOL	.133	REVATIO	181

REVLIMID182	\boldsymbol{U}	
REXULTI183	UPTRAVI	220
RUBRACA184	OI IKAVI	220
RYDAPT185	V	
S	VALCHLOR	
SEROSTIM186	VANCOCIN	
SILIQ	VENCLEXTA	
SIMPONI	VERSACLOZ	
SIMPONI ARIA	VERZENIO	
SKELAXIN	VIBERZI	
SOMA	VINBLASTINE	
SOMAVERT	VINCRISTINE	
SONATA	VOSEVI	
SOVALDI	VOTRIENT	230
SPRITAM 195	VRAYLAR	231
SPRYCEL 196	X	
STELARA 197		
STELARA IV	XALKORI	232
STIVARGA	XATMEP	233
STRENSIQ	XELJANZ (includes Xeljanz XR)	
SUBSYS	XEOMIN	235
SUBUTEX	XERMELO	236
SURMONTIL 203	XOLAIR	237
SYMDEKO	XTANDI	238
SYMLINPEN 205	Y	
	•	
T	YERVOY	
TAGRISSO206	YONSA	240
TALTZ207	Z	
TARCEVA208	_	
TASIGNA209	ZALTRAP	
TAVALISSE210	ZARXIO	
TECENTRIQ211	ZEJULA	
TECFIDERA212	ZELBORAF	
TENEX213	ZEPATIER	
TETRABENAZINE214	ZINPLAVA	
TIBSOVO215	ZOLPIDEM	
TREMFYA216	ZYDELIG	
TRIHEXYPHENIDYL217	ZYKADIA	
TYMLOS218	ZYTIGA	250
TYSABRI219		